

INDOOR BASKETBALL EQUIPMENT

S04106




NEW CODE	DESCRIPTION
S04106	<p>Hydroplay Official portable basketball backstops Fiba approved for international competitions. Varnished steel structure, oleodynamic unit with manual pump allowing movent from rest to play position and viceversa. Telescopic cylinder with piston rod, diameter 40 mm, with flow regulation included and continuous valve which blocks the movement at the desired height. Easy to roll away on the floor by means of total 4 non-marking wheels, 2 fixed on the front and 2 turnables on the back of base, automatically raising and lowering following structure's movement. Fully padded structure for maximum safety. Padded counterweight included. Projection cm 330 . Space needed for positioning cm 420. Supplied with backboards made of 12 mm tempered safety glass, with high resistance pads (can be equipped, on demand, with red-light device to be linked to any 24" clock) and approved reclining rings as well as accessories for fixing the base to the floor. Price for pair of units.</p>


FURTHER DETAILS:

- Basketball unit S04106 can be manually (by means of oleo dynamic manual pump) adjusted at 305 and 260 cm height both for basket and minibasket standards;
- Basketball unit S04106 has structure made of 4 main different frames: base + front vertical column + rear triangle + projection arm. All of them linked to the others and moving on ball bearings;
- The base frame of basketball unit S04106 contains 4 wheels with diameter mm 200x50 with alloy core and rubber ring non-marking in order to not damage the floor. The 2 front wheels are fixed type while the 2 rear are pivoting. Wheels are raising and lowering automatically following movement to play and rest position (once unit is in play position wheels does not touch the floor for max stability ... once unit move to rest position wheels are lowering to the ground);
- The base frame of basketball unit S04106 contain on the back side a concrete counterweight block of 460 kgs firmly fixed, padded and covered by PVC;
- Basketball unit S04106 is equipped with 12 mm safety tempered glass backboard, standard size mm 1800x1050x12 with standard official marking in white colour (painted) as per official rules. Glass is made in accordance to EN 12150 standards. On back side of tempered glass a special transparent adhesive film is applied for extra safety. Glass backboard is fixed between a front and rear steel frame. Bottom side is protected by strong PU protective pad fixed by screws. Size of pad is in accordance to FIBA's rules;
- Basketball unit S04106 is equipped with standard ring, 45 cm diameter, full tube and equipped with reclining (dunk) system working at force of 105 kg. Ring is fixed directly to backboard's structure without touching the glass (that has a special cut-out);
- Total weight of unit is around 1.050 kgs;
- Unit is supplied with ground fixing accessories;
- Unit is equipped with soft pad (main front ones with 15 cm thickness – all the others with minimum 5 cm thickness) covered by special washable PVC fabric.





POSIZIONAMENTO IMPIANTO





Doha – Qatar



Okinawa - Japan



Geelong Arena - Australia



Tel Aviv



Turin - Italy



Italia

Attestation of Conformity

No.: VA_MEC 13 07 016

Holder of Attestation : SPORT SYSTEM di Pradal Celestino & C. S.A.S.
Via del Lavoro,2 31020 San Fior (TV)

Product: Basketball equipments

Model(s): Hydroplay Official Manual – S04106,
Hydroplay Official Electric – S 04108,
Easyplay Official – S04110,
Easyplay Training – S04113,
Hydroplay Club Manual – S04118
Hydroplay Club Electric – S04120
Easyplay College Zinc coated – S05106,
Easyplay College Varnish coated – S04124,
Basketball equipment "Welded" – S04030
Basketball equipment "2 pieces" – S04032,
Basketball equipment "adjustable"– S04036
Fixed ring - S04232
Reclinable ring - S04236
Reclinable 180° ring – S04237
Reclinable ring - S04234

Tested acc. to: EN 1270:2008

Test report no.: MEC13077.00

Factory inspection not required and not performed

Remarks:

Products tested had no change in design, materials, components or processing according to license holder declaration. This Attestation refers to the tested samples described in the Test report above mentioned.

The series production is not subject to a control and is not part of this document.

In case of any changes this attestation will expire and products may require repetition of some tests in order to retain the approval.

This attestation doesn't allow the use of TÜV-SÜD mark.

Scarmagno (TO)

Date: 2013-07-02


Nicola Beruti
TUV Italia Srl - Division Manager Product Service



FIBA
EQUIPMENT
& VENUE

CERTIFICATE OF APPROVAL

Valid until: **December 31, 2018**

Issued to:

SPORT SYSTEM S.R.L.

FIBA Equipment & Venue Centre Partner since: 1995

FIBA (Fédération Internationale de Basketball) hereby declares, by means of this certificate, that the basketball equipment, indicated below, fulfils the standards specified in the latest edition of the Equipment & Venue Approval Programme and is therefore qualified as a

TECHNICAL PARTNER

Product Category:

BACKSTOP UNITS

Competition Level: 1

Name of Product/Model: **Easyplay Official; Easyplay FIBA; Hydroplay Official; Hydroplay FIBA; Hydroplay ACE; Hydroplay FIBA 2.0**

Competition Level: 2

Name of Product/Model: **Top (ceiling mounted backboard); Trevi (wall mounted backboard)**

Competition Level: 3

Name of Product/Model: **Hydroplay Training; Easyplay Training; Hydroplay Club**

Level 1: Main Official International Competitions of FIBA: Olympic Tournaments, World Olympic Qualifying Tournaments for Men & Women, FIBA World Cup (WC) for Men, FIBA WC for Women, FIBA U-19 WC for Men/ for Women, FIBA U-17 WC for Men/ for Women, All Continental Championships, including all Qualifying Games and Tournaments for these Championships.

Level 2: Medium Level of Competitions: All other FIBA Official Competitions as Official Cups and Tournaments of FIBA and High Level Competitions of the National Federations.

Level 3: Other Competitions: All other Competitions not included in the above.

Contract No: 20-2015

The Manufacturer is authorized to use the FIBA Equipment & Venue logo in its true colours on the above products models in accordance with the artwork provided. Note: FIBA levels of competition describe the levels of competitions for which the product (s) may be used; there is no link with the quality of the product (s).

Patrick Baumann
Secretary General

January 2017
Date